

FLUSH WALL CLOSURES

ECLISSE SYNTESIS® AREO - FRAMES - SIZES





A flush frame which conforms with the surrounding space.

ECLISSE SYNTESIS® AREO offers the perfect way to disguise built-in cupboards and closets elegantly and discreetly, combining function with form. The frame can be retracted seamlessly into the wall without protruding. It can be modified to match the surrounding space and either painted or covered with appropriate wallpaper. With its clear lines, ECLISSE SYNTESIS® AREO also meets the latest requirements of style, containing built-in cupboards or discreetly concealing areas and spaces which are preferably not visible.

ECLISSE SYNTESIS® AREO can be customised in terms of the opening and dimensions satisfying any technical and functional requirements without sacrificing appearance.



SIZES



3-sided version

4-sided version

i OVERALL DIMENSIONS	
$C = L + 70 \text{ mm}$	
3-sided version	4-sided version
$H1 = H + 35 \text{ mm}$	$H1 = H + 70 \text{ mm}$


FLUSH WALL CLOSURES

ECLISSE SYNTESIS® AREO - APPLICATIONS


Dimensions are given in mm

PULL DOOR


Frame on solid wall




Frame on stud wall, with one or two plasterboard layers and finished according to customer's specifications



Frame on stud wall, with single or double layer



Frame on stud wall, with single or double layer for internal reveal




FLUSH WALL CLOSURES


ECLISSE SYNTESIS® AREO - VERSIONS - SIZES

Dimensions are given in mm


SINGLE DOOR




Single door frame, 3-sided



Single door frame, 4-sided



Inclined frame
for single door frame, 3-sided




Inclined frame
for single door frame, 4-sided


3- OR 4-SIDED SOLUTIONS

	PASSAGE SIZE					OVERALL DIMENSIONS				
	L		H		C		H1			
	min	max	min	max	min	max	min	max		
3-sided versions	300	÷ 650	300	÷ 2700	370	÷ 720	335	÷ 2735		
4-sided versions	300	÷ 650	300	÷ 2700	370	÷ 720	370	÷ 2770		

DOUBLE DOOR



Double door frame, 3-sided




Double door frame, 4-sided

3- OR 4-SIDED SOLUTIONS


	PASSAGE SIZE					OVERALL DIMENSIONS				
	L		H		C		H1			
	min	max	min	max	min	max	min	max		
3-sided versions	600	÷ 1300	300	÷ 2700	670	÷ 1370	335	÷ 2735		
4-sided versions	600	÷ 1300	300	÷ 2700	670	÷ 1370	370	÷ 2770		

TOP-HUNG PANEL



4-sided frame with top-hung panel

BOTTOM-HINGED PANEL



4-sided frame with bottom-hinged panel

4-SIDED SOLUTION

	PASSAGE SIZE				OVERALL DIMENSIONS			
	L		H		C		H1	
	min	max	min	max	min	max	min	max
	600	÷ 1800	300	÷ 650	670	÷ 1870	370	÷ 720

NOTES

- ▶ Supplied as standard with push-pull opening system, except the three-sided double door.
- ▶ For the 3-sided double door version a handle is needed.